

**SINAMICS G130 Drive Converter Chassis Units**  
**SINAMICS G150 Drive Converter Cabinet Units**

Please note the following corrections to the English edition of the Catalog D 11 · 2011.  
Additions to the last edition of the errata sheet (a, Jun 07 2009) are shown with yellow highlighting

<b>Page 2/10:</b>	<b>Error:</b> <u>Electrical Data:</u> Output frequency 0 ... <b>300</b> Hz
	<b>Correction:</b> Output frequency 0 ... <b>650</b> Hz

<b>Page 2/48:</b>	<b>Error:</b>																																																
	<table border="1"> <thead> <tr> <th colspan="3">Selection and ordering data</th> </tr> <tr> <th>Suitable for Power Module</th> <th>Type rating of the Power Module at 400 V, 500 V or 690 V kW</th> <th>dv/dt filter compact plus VPL Order No.</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>660 ... 690 V 3 AC</b></td> </tr> <tr> <td>6SL3310-1GH28-5AA3</td> <td>75</td> <td><b>6SL3000-2DG31-0EA0</b></td> </tr> <tr> <td>6SL3310-1GH31-0AA3</td> <td>90</td> <td></td> </tr> <tr> <td>6SL3310-1GH31-8AA3</td> <td>110</td> <td><b>6SL3000-2DG31-5EA0</b></td> </tr> <tr> <td>6SL3310-1GH32-2AA3</td> <td>132</td> <td></td> </tr> <tr> <td>6SL3310-1GH32-6AA3</td> <td>160</td> <td><b>6SL3000-2DG32-2EA0</b></td> </tr> <tr> <td>6SL3310-1GH33-3AA3</td> <td>200</td> <td></td> </tr> <tr> <td>6SL3310-1GH34-1AA3</td> <td>250</td> <td><b>6SL3000-2DG33-3EA0</b></td> </tr> <tr> <td>6SL3310-1GH33-3AA3</td> <td>315</td> <td></td> </tr> <tr> <td>6SL3310-1GH34-1AA3</td> <td>400</td> <td></td> </tr> <tr> <td>6SL3310-1GH34-7AA3</td> <td>450</td> <td><b>6SL3000-2DG34-1EA0</b></td> </tr> <tr> <td>6SL3310-1GH35-8AA3</td> <td>560</td> <td></td> </tr> <tr> <td>6SL3310-1GH37-4AA3</td> <td>710</td> <td><b>6SL3000-2DG35-8EA0</b></td> </tr> <tr> <td>6SL3310-1GH38-1AA3</td> <td>800</td> <td></td> </tr> </tbody> </table>	Selection and ordering data			Suitable for Power Module	Type rating of the Power Module at 400 V, 500 V or 690 V kW	dv/dt filter compact plus VPL Order No.	<b>660 ... 690 V 3 AC</b>			6SL3310-1GH28-5AA3	75	<b>6SL3000-2DG31-0EA0</b>	6SL3310-1GH31-0AA3	90		6SL3310-1GH31-8AA3	110	<b>6SL3000-2DG31-5EA0</b>	6SL3310-1GH32-2AA3	132		6SL3310-1GH32-6AA3	160	<b>6SL3000-2DG32-2EA0</b>	6SL3310-1GH33-3AA3	200		6SL3310-1GH34-1AA3	250	<b>6SL3000-2DG33-3EA0</b>	6SL3310-1GH33-3AA3	315		6SL3310-1GH34-1AA3	400		6SL3310-1GH34-7AA3	450	<b>6SL3000-2DG34-1EA0</b>	6SL3310-1GH35-8AA3	560		6SL3310-1GH37-4AA3	710	<b>6SL3000-2DG35-8EA0</b>	6SL3310-1GH38-1AA3	800	
Selection and ordering data																																																	
Suitable for Power Module	Type rating of the Power Module at 400 V, 500 V or 690 V kW	dv/dt filter compact plus VPL Order No.																																															
<b>660 ... 690 V 3 AC</b>																																																	
6SL3310-1GH28-5AA3	75	<b>6SL3000-2DG31-0EA0</b>																																															
6SL3310-1GH31-0AA3	90																																																
6SL3310-1GH31-8AA3	110	<b>6SL3000-2DG31-5EA0</b>																																															
6SL3310-1GH32-2AA3	132																																																
6SL3310-1GH32-6AA3	160	<b>6SL3000-2DG32-2EA0</b>																																															
6SL3310-1GH33-3AA3	200																																																
6SL3310-1GH34-1AA3	250	<b>6SL3000-2DG33-3EA0</b>																																															
6SL3310-1GH33-3AA3	315																																																
6SL3310-1GH34-1AA3	400																																																
6SL3310-1GH34-7AA3	450	<b>6SL3000-2DG34-1EA0</b>																																															
6SL3310-1GH35-8AA3	560																																																
6SL3310-1GH37-4AA3	710	<b>6SL3000-2DG35-8EA0</b>																																															
6SL3310-1GH38-1AA3	800																																																
<b>Correction:</b>	<table border="1"> <thead> <tr> <th colspan="3">Selection and ordering data</th> </tr> <tr> <th>Suitable for Power Module</th> <th>Type rating of the Power Module at 400 V, 500 V or 690 V kW</th> <th>dv/dt filter compact plus VPL Order No.</th> </tr> </thead> <tbody> <tr> <td colspan="3"><b>660 ... 690 V 3 AC</b></td> </tr> <tr> <td>6SL3310-1GH28-5AA3</td> <td>75</td> <td><b>6SL3000-2DG31-0EA0</b></td> </tr> <tr> <td>6SL3310-1GH31-0AA3</td> <td>90</td> <td></td> </tr> <tr> <td>6SL3310-1GH31-2AA3</td> <td>110</td> <td><b>6SL3000-2DG31-5EA0</b></td> </tr> <tr> <td>6SL3310-1GH31-5AA3</td> <td>132</td> <td></td> </tr> <tr> <td>6SL3310-1GH31-8AA3</td> <td>160</td> <td><b>6SL3000-2DG32-2EA0</b></td> </tr> <tr> <td>6SL3310-1GH32-2AA3</td> <td>200</td> <td></td> </tr> <tr> <td>6SL3310-1GH32-6AA3</td> <td>250</td> <td><b>6SL3000-2DG33-3EA0</b></td> </tr> <tr> <td>6SL3310-1GH33-3AA3</td> <td>315</td> <td></td> </tr> <tr> <td>6SL3310-1GH34-1AA3</td> <td>400</td> <td><b>6SL3000-2DG34-1EA0</b></td> </tr> <tr> <td>6SL3310-1GH34-7AA3</td> <td>450</td> <td><b>6SL3000-2DG35-8EA0</b></td> </tr> <tr> <td>6SL3310-1GH35-8AA3</td> <td>560</td> <td></td> </tr> <tr> <td>6SL3310-1GH37-4AA3</td> <td>710</td> <td><b>6SL3000-2DG38-1EA0</b></td> </tr> <tr> <td>6SL3310-1GH38-1AA3</td> <td>800</td> <td></td> </tr> </tbody> </table>	Selection and ordering data			Suitable for Power Module	Type rating of the Power Module at 400 V, 500 V or 690 V kW	dv/dt filter compact plus VPL Order No.	<b>660 ... 690 V 3 AC</b>			6SL3310-1GH28-5AA3	75	<b>6SL3000-2DG31-0EA0</b>	6SL3310-1GH31-0AA3	90		6SL3310-1GH31-2AA3	110	<b>6SL3000-2DG31-5EA0</b>	6SL3310-1GH31-5AA3	132		6SL3310-1GH31-8AA3	160	<b>6SL3000-2DG32-2EA0</b>	6SL3310-1GH32-2AA3	200		6SL3310-1GH32-6AA3	250	<b>6SL3000-2DG33-3EA0</b>	6SL3310-1GH33-3AA3	315		6SL3310-1GH34-1AA3	400	<b>6SL3000-2DG34-1EA0</b>	6SL3310-1GH34-7AA3	450	<b>6SL3000-2DG35-8EA0</b>	6SL3310-1GH35-8AA3	560		6SL3310-1GH37-4AA3	710	<b>6SL3000-2DG38-1EA0</b>	6SL3310-1GH38-1AA3	800	
Selection and ordering data																																																	
Suitable for Power Module	Type rating of the Power Module at 400 V, 500 V or 690 V kW	dv/dt filter compact plus VPL Order No.																																															
<b>660 ... 690 V 3 AC</b>																																																	
6SL3310-1GH28-5AA3	75	<b>6SL3000-2DG31-0EA0</b>																																															
6SL3310-1GH31-0AA3	90																																																
6SL3310-1GH31-2AA3	110	<b>6SL3000-2DG31-5EA0</b>																																															
6SL3310-1GH31-5AA3	132																																																
6SL3310-1GH31-8AA3	160	<b>6SL3000-2DG32-2EA0</b>																																															
6SL3310-1GH32-2AA3	200																																																
6SL3310-1GH32-6AA3	250	<b>6SL3000-2DG33-3EA0</b>																																															
6SL3310-1GH33-3AA3	315																																																
6SL3310-1GH34-1AA3	400	<b>6SL3000-2DG34-1EA0</b>																																															
6SL3310-1GH34-7AA3	450	<b>6SL3000-2DG35-8EA0</b>																																															
6SL3310-1GH35-8AA3	560																																																
6SL3310-1GH37-4AA3	710	<b>6SL3000-2DG38-1EA0</b>																																															
6SL3310-1GH38-1AA3	800																																																

<b>Page 2/51:</b>	<b>Error:</b> "Technical Data", last column: <b>6SL3000-2DG41-3EA0</b>
	<b>Correction:</b> Delete the whole column (6SL3000-2DG41-3EA0 not for SINAMICS G130 Power Modules)

<b>Page 2/54:</b>	<p><b>Error:</b></p> <table border="1"> <thead> <tr> <th colspan="2">Selection and ordering data</th> </tr> <tr> <th>Description</th> <th>Order No.</th> </tr> </thead> <tbody> <tr> <td> <b>Control Unit Kit PROFIBUS DP</b>                      consisting of:                     <ul style="list-style-type: none"> <li>• Control Unit CU320-2 DP</li> <li>• CompactFlash card with the latest firmware</li> <li>• <b>DRIVE-CLiQ cable</b></li> <li>• <b>24 V cable to the power supply</b></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul> </td> <td style="background-color: #e0f0e0;">6SL3040-1GA00-1AA0</td> </tr> </tbody> </table>	Selection and ordering data		Description	Order No.	<b>Control Unit Kit PROFIBUS DP</b> consisting of: <ul style="list-style-type: none"> <li>• Control Unit CU320-2 DP</li> <li>• CompactFlash card with the latest firmware</li> <li>• <b>DRIVE-CLiQ cable</b></li> <li>• <b>24 V cable to the power supply</b></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul>	6SL3040-1GA00-1AA0
	Selection and ordering data						
Description	Order No.						
<b>Control Unit Kit PROFIBUS DP</b> consisting of: <ul style="list-style-type: none"> <li>• Control Unit CU320-2 DP</li> <li>• CompactFlash card with the latest firmware</li> <li>• <b>DRIVE-CLiQ cable</b></li> <li>• <b>24 V cable to the power supply</b></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul>	6SL3040-1GA00-1AA0						
<p><b>Correction:</b></p> <table border="1"> <thead> <tr> <th colspan="2">Selection and ordering data</th> </tr> <tr> <th>Description</th> <th>Order No.</th> </tr> </thead> <tbody> <tr> <td> <b>Control Unit Kit PROFIBUS DP</b>                      consisting of:                     <ul style="list-style-type: none"> <li>• Control Unit CU320-2 DP</li> <li>• CompactFlash card with the latest firmware</li> <li>← <del>DRIVE-CLiQ cable</del></li> <li>← <del>24 V cable to the power supply</del></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul> </td> <td style="background-color: #e0f0e0;">6SL3040-1GA00-1AA0</td> </tr> </tbody> </table> <p><b>Comment:</b> The cables are in the scope of supply of the Power Modules.</p>	Selection and ordering data		Description	Order No.	<b>Control Unit Kit PROFIBUS DP</b> consisting of: <ul style="list-style-type: none"> <li>• Control Unit CU320-2 DP</li> <li>• CompactFlash card with the latest firmware</li> <li>← <del>DRIVE-CLiQ cable</del></li> <li>← <del>24 V cable to the power supply</del></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul>	6SL3040-1GA00-1AA0	
Selection and ordering data							
Description	Order No.						
<b>Control Unit Kit PROFIBUS DP</b> consisting of: <ul style="list-style-type: none"> <li>• Control Unit CU320-2 DP</li> <li>• CompactFlash card with the latest firmware</li> <li>← <del>DRIVE-CLiQ cable</del></li> <li>← <del>24 V cable to the power supply</del></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul>	6SL3040-1GA00-1AA0						

<b>Page 2/57:</b>	<p><b>Error:</b></p> <table border="1"> <thead> <tr> <th colspan="2">Selection and ordering data</th> </tr> <tr> <th>Description</th> <th>Order No.</th> </tr> </thead> <tbody> <tr> <td> <b>Control Unit Kit PROFINET PN</b>                      consisting of:                     <ul style="list-style-type: none"> <li>• Control Unit CU320-2 PN</li> <li>• CompactFlash card with the latest firmware</li> <li>• <b>DRIVE-CLiQ cable</b></li> <li>• <b>24 V cable to the power supply</b></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul> </td> <td style="background-color: #e0f0e0;">6SL3040-1GA01-1AA0</td> </tr> </tbody> </table>	Selection and ordering data		Description	Order No.	<b>Control Unit Kit PROFINET PN</b> consisting of: <ul style="list-style-type: none"> <li>• Control Unit CU320-2 PN</li> <li>• CompactFlash card with the latest firmware</li> <li>• <b>DRIVE-CLiQ cable</b></li> <li>• <b>24 V cable to the power supply</b></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul>	6SL3040-1GA01-1AA0
	Selection and ordering data						
Description	Order No.						
<b>Control Unit Kit PROFINET PN</b> consisting of: <ul style="list-style-type: none"> <li>• Control Unit CU320-2 PN</li> <li>• CompactFlash card with the latest firmware</li> <li>• <b>DRIVE-CLiQ cable</b></li> <li>• <b>24 V cable to the power supply</b></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul>	6SL3040-1GA01-1AA0						
<p><b>Correction:</b></p> <table border="1"> <thead> <tr> <th colspan="2">Selection and ordering data</th> </tr> <tr> <th>Description</th> <th>Order No.</th> </tr> </thead> <tbody> <tr> <td> <b>Control Unit Kit PROFINET PN</b>                      consisting of:                     <ul style="list-style-type: none"> <li>• Control Unit CU320-2 PN</li> <li>• CompactFlash card with the latest firmware</li> <li>← <del>DRIVE-CLiQ cable</del></li> <li>← <del>24 V cable to the power supply</del></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul> </td> <td style="background-color: #e0f0e0;">6SL3040-1GA01-1AA0</td> </tr> </tbody> </table> <p><b>Comment:</b> The cables are in the scope of supply of the Power Modules.</p>	Selection and ordering data		Description	Order No.	<b>Control Unit Kit PROFINET PN</b> consisting of: <ul style="list-style-type: none"> <li>• Control Unit CU320-2 PN</li> <li>• CompactFlash card with the latest firmware</li> <li>← <del>DRIVE-CLiQ cable</del></li> <li>← <del>24 V cable to the power supply</del></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul>	6SL3040-1GA01-1AA0	
Selection and ordering data							
Description	Order No.						
<b>Control Unit Kit PROFINET PN</b> consisting of: <ul style="list-style-type: none"> <li>• Control Unit CU320-2 PN</li> <li>• CompactFlash card with the latest firmware</li> <li>← <del>DRIVE-CLiQ cable</del></li> <li>← <del>24 V cable to the power supply</del></li> <li>• Equipment documentation on CD</li> <li>• STARTER commissioning tool on DVD</li> </ul>	6SL3040-1GA01-1AA0						

<b>Page 3/12:</b>	<b>Error:</b> Table "General technical data": <b>Approvals:</b> cULus
	<b>Correction:</b> <del>Approvals: cULus</del> (no cULus Approval for SINAMICS G150)

<b>Page 3/31</b>	<p><b>Error:</b> Width and weight of the converter cabinet units SINAMICS G150 Clean Power</p> <table border="1"> <thead> <tr> <th>Order number Z = +L01</th> <th>Type rating kW</th> <th>Width mm</th> <th>Weight kg</th> </tr> </thead> <tbody> <tr> <td colspan="4"><b>380 ... 480 V 3 AC</b></td> </tr> <tr> <td>6SL3710-1GE41-1AA3-Z</td> <td>630</td> <td>3600</td> <td>2580</td> </tr> <tr> <td>6SL3710-1GE41-4AA3-Z</td> <td>710</td> <td>3600</td> <td>2670</td> </tr> <tr> <td>6SL3710-1GE41-6AA3-Z</td> <td>900</td> <td>3600</td> <td>3090</td> </tr> <tr> <td colspan="4"><b>500 ... 600 V 3 AC</b></td> </tr> <tr> <td>6SL3710-1GF38-6AA3-Z</td> <td>630</td> <td>3600</td> <td>2660</td> </tr> <tr> <td>6SL3710-1GF41-1AA3-Z</td> <td>710</td> <td>3600</td> <td>2660</td> </tr> <tr> <td>6SL3710-1GF41-4AA3-Z</td> <td>1000</td> <td>4400</td> <td>3980</td> </tr> <tr> <td colspan="4"><b>660 ... 690 V 3 AC</b></td> </tr> <tr> <td>6SL3710-1GH41-1AA3-Z</td> <td>1000</td> <td>3600</td> <td>2660</td> </tr> <tr> <td>6SL3710-1GH41-4AA3-Z</td> <td>1350</td> <td>4400</td> <td>3980</td> </tr> <tr> <td>6SL3710-1GH41-5AA3-Z</td> <td>1500</td> <td>4400</td> <td>4060</td> </tr> </tbody> </table>	Order number Z = +L01	Type rating kW	Width mm	Weight kg	<b>380 ... 480 V 3 AC</b>				6SL3710-1GE41-1AA3-Z	630	3600	2580	6SL3710-1GE41-4AA3-Z	710	3600	2670	6SL3710-1GE41-6AA3-Z	900	3600	3090	<b>500 ... 600 V 3 AC</b>				6SL3710-1GF38-6AA3-Z	630	3600	2660	6SL3710-1GF41-1AA3-Z	710	3600	2660	6SL3710-1GF41-4AA3-Z	1000	4400	3980	<b>660 ... 690 V 3 AC</b>				6SL3710-1GH41-1AA3-Z	1000	3600	2660	6SL3710-1GH41-4AA3-Z	1350	4400	3980	6SL3710-1GH41-5AA3-Z	1500	4400	4060
	Order number Z = +L01	Type rating kW	Width mm	Weight kg																																																	
<b>380 ... 480 V 3 AC</b>																																																					
6SL3710-1GE41-1AA3-Z	630	3600	2580																																																		
6SL3710-1GE41-4AA3-Z	710	3600	2670																																																		
6SL3710-1GE41-6AA3-Z	900	3600	3090																																																		
<b>500 ... 600 V 3 AC</b>																																																					
6SL3710-1GF38-6AA3-Z	630	3600	2660																																																		
6SL3710-1GF41-1AA3-Z	710	3600	2660																																																		
6SL3710-1GF41-4AA3-Z	1000	4400	3980																																																		
<b>660 ... 690 V 3 AC</b>																																																					
6SL3710-1GH41-1AA3-Z	1000	3600	2660																																																		
6SL3710-1GH41-4AA3-Z	1350	4400	3980																																																		
6SL3710-1GH41-5AA3-Z	1500	4400	4060																																																		
<p><b>Correction:</b> Width and weight of the converter cabinet units SINAMICS G150 Clean Power</p> <table border="1"> <thead> <tr> <th>Order number Z = +L01</th> <th>Type rating kW</th> <th>Width mm</th> <th>Weight kg</th> </tr> </thead> <tbody> <tr> <td colspan="4"><b>380 ... 480 V 3 AC</b></td> </tr> <tr> <td>6SL3710-2GE41-1AA3-Z</td> <td>630</td> <td>3600</td> <td>2580</td> </tr> <tr> <td>6SL3710-2GE41-4AA3-Z</td> <td>710</td> <td>3600</td> <td>2670</td> </tr> <tr> <td>6SL3710-2GE41-6AA3-Z</td> <td>900</td> <td>3600</td> <td>3090</td> </tr> <tr> <td colspan="4"><b>500 ... 600 V 3 AC</b></td> </tr> <tr> <td>6SL3710-2GF38-6AA3-Z</td> <td>630</td> <td>3600</td> <td>2660</td> </tr> <tr> <td>6SL3710-2GF41-1AA3-Z</td> <td>710</td> <td>3600</td> <td>2660</td> </tr> <tr> <td>6SL3710-2GF41-4AA3-Z</td> <td>1000</td> <td>4400</td> <td>3980</td> </tr> <tr> <td colspan="4"><b>660 ... 690 V 3 AC</b></td> </tr> <tr> <td>6SL3710-2GH41-1AA3-Z</td> <td>1000</td> <td>3600</td> <td>2660</td> </tr> <tr> <td>6SL3710-2GH41-4AA3-Z</td> <td>1350</td> <td>4400</td> <td>3980</td> </tr> <tr> <td>6SL3710-2GH41-5AA3-Z</td> <td>1500</td> <td>4400</td> <td>4060</td> </tr> </tbody> </table>	Order number Z = +L01	Type rating kW	Width mm	Weight kg	<b>380 ... 480 V 3 AC</b>				6SL3710-2GE41-1AA3-Z	630	3600	2580	6SL3710-2GE41-4AA3-Z	710	3600	2670	6SL3710-2GE41-6AA3-Z	900	3600	3090	<b>500 ... 600 V 3 AC</b>				6SL3710-2GF38-6AA3-Z	630	3600	2660	6SL3710-2GF41-1AA3-Z	710	3600	2660	6SL3710-2GF41-4AA3-Z	1000	4400	3980	<b>660 ... 690 V 3 AC</b>				6SL3710-2GH41-1AA3-Z	1000	3600	2660	6SL3710-2GH41-4AA3-Z	1350	4400	3980	6SL3710-2GH41-5AA3-Z	1500	4400	4060	
Order number Z = +L01	Type rating kW	Width mm	Weight kg																																																		
<b>380 ... 480 V 3 AC</b>																																																					
6SL3710-2GE41-1AA3-Z	630	3600	2580																																																		
6SL3710-2GE41-4AA3-Z	710	3600	2670																																																		
6SL3710-2GE41-6AA3-Z	900	3600	3090																																																		
<b>500 ... 600 V 3 AC</b>																																																					
6SL3710-2GF38-6AA3-Z	630	3600	2660																																																		
6SL3710-2GF41-1AA3-Z	710	3600	2660																																																		
6SL3710-2GF41-4AA3-Z	1000	4400	3980																																																		
<b>660 ... 690 V 3 AC</b>																																																					
6SL3710-2GH41-1AA3-Z	1000	3600	2660																																																		
6SL3710-2GH41-4AA3-Z	1350	4400	3980																																																		
6SL3710-2GH41-5AA3-Z	1500	4400	4060																																																		